





Yellow



Luminous



Clear



Black/Yellow



Red/White

## Parts

Part Number	Size	Colour	Weight (kg)
GF010006	152 mm x 610 mm	Black	0.75
GF010005	140 mm x 140 mm	Black	0.15
GF120002	50 mm x 18.3 m	Clear	0.8
GF110002	50 mm x 18.3 m	Luminous	0.8
GF070002	50 mm x 18.3 m	Yellow	0.8
GF040002	50 mm x 18.3 m	Green	0.8
GF031002	50 mm x 18.3 m	Red/White	0.8
GF030002	50 mm x 18.3 m	Red	0.8
GF020002	50 mm x 18.3 m	Blue	0.8
GF010702	50 mm x 18.3 m	Black/Yellow	0.8
GF010004	152 mm x 18.3 m	Black	2.5
GF010003	102 mm x 18.3 m	Black	1.45
GF010002	50 mm x 18.3 m	Black	0.8
GF010001	25 mm x 18.3 m	Black	0.4

## Technical Specifications

<b>Material</b>	Abrasive grit consisting of aluminium oxide bonded to a polymer substrate. Solvent based acrylic emulsion adhesive backing. Product supplied with a moisture resistant release liner.
<b>Surface Finish</b>	Grit
<b>Product Height</b>	1.05 mm
<b>Min. Operating Temperature</b>	-10°C
<b>Max. Operating Temperature</b>	+60°C
<b>Environmental Resistance</b>	Suitable for indoor environments
<b>UV Resistance</b>	Yes
<b>Typical Applications</b>	Stairs, Ladders, Ramps, Walkways, Vehicles
<b>Installation Method</b>	Self-adhesive tape applied with pressure
<b>Adhesion Strength</b>	1.6 kg / 25 mm
<b>Coating Thickness</b>	0.05 mm
<b>Solvent Residue</b>	0.50%
<b>Release Force</b>	30g / 25 mm

## Additional Information



Installation Guide



Gripfoot Ramp Slip Test DIN 51130

Get in touch | To order FREE samples or arrange a site visit please call +27 (0) 11 452 7961 or email [sales@cobafrica.com](mailto:sales@cobafrica.com)

[www.coba.com/za](http://www.coba.com/za)